


3005T LINE \

































The various versions of the Dulevo Boost 50.0 floor cleaning model is a professional cleaning machine suitable to be used in any application - industrial to retail, logistics to public areas. In fact, it is an indisputable machine, specifically designed for average to heavy professional use. Although this is a professional tool, this floor cleaner is very ergonomic and particularly easy to use even by inexperienced people. All the functions work automatically by simply actuating a few buttons. Furthermore, the powerful drive conveyed to the wheels allows the operator to clean very large areas tirelessly and in total comfort. Thanks to its independence from the batteries, the 230V powered version is an ideal tool for those who do not need to clean large areas but still require a very powerful machine for heavy cleaning in emergency and unforeseen situations. In fact, the machine can remain inactive for many days and when needed, simply connect the plug to the socket.











A powerful and reliable floor cleaner that does not fail when hard work is to be accomplished.



The design, components and ergonomics of this floor cleaner are designed for heavy industrial or domestic use. In view of its professional and prolonged use, particular consideration was also attributed to the hourly cost of operati on as a key factor of producti vity. The Dulevo Boost 90.0 is also available with roller brushes. This particular washing/sweeping version allows you to thoroughly wash any surface without having to previously clear the area from solid debris.













TECHNICAL DATA		BOOST 20.0		BOOST 30.0			BOOST 50.0				BOOST 90.0	
Model		20.4 ^E	20.4 ^B	30.5⁵	30.5 ^B	30.5 ^{BT}	50.5 [€]	50.5 ^{BT}	50.6 ^{BT2}	RULLI 50.5BTR	90.7 ^{BT2}	90.9 ^{BT2}
Scrubbing path	mm	430		450			500 600		505	650	850	
Squeegee path	mm	440		670		750 850		750	980			
Cleaning performance	m²/h	1720		1800		2000		2400	2020	3250	4250	
Solution tank	L	17		30			50				90	
Recovery tank	L	20		30			50				77	
Traction		-		- Front		Front	-	Front		Front		
Brush diameter / number	mm/n°	430/1		450/1		500/1		305/2	110/2	330/2	410/2	
Voltage	V	230	24	230	24	24	230		24		24	
Length	mm	700		800			1000		1030	1160	1330	1350
Width	mm	500		460		550		710	610	700	850	
Height	mm	1200 (570)		900			1060				1070	
Weight without Batteries	Kg	40		60			80	91	91 105		118	126

DULEVO INTERNATIONAL S.P.A.

Via G.Guareschi,1 - 43012 - Fontanellato (Parma) Italia ph: +39 0521 827711 - Fax: +39 0521 827795 info@dulevo.com - www.dulevo.com

























Ed. 00-2015 - C (copyright) 2014 Dulevo International S.p.a.

Specifications are not binding for our company and subject to change at any time without notice